

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alexandran, Virginia 22313-1450 www.emplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/527,115	03/08/2005	Hans Lobl	DE 020206	9528
65913 7590 03/02/2009 NXP, B,V.			EXAMINER	
NXP INTELI	ECTUAL PROPERTY	NADAV, ORI		
M/S41-SJ 1109 MCKAY DRIVE SAN JOSE, CA 95131			ART UNIT	PAPER NUMBER
			2811	
			NOTIFICATION DATE	DELIVERY MODE
			03/02/2009	EL ECTRONIC

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail  $\,$  address(es):

ip.department.us@nxp.com



## UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10527115	3/8/05	LOBL ET AL.	DE 020206

NXP, B.V. NXP INTELLECTUAL PROPERTY DEPARTMENT M/S41-SJ 1109 MCKAY DRIVE SAN JOSE. CA 95131

EXAMINER				
Ori Nadav				
ART UNIT	PAPER			
2811	20090225			

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The amendment document filed on 17/12009 fails to provide the corrective action required by the prior Notice of Non-Compliant Amendment (37 CFR 1.121) mailed on 12/24/2008. The amendment, including both the originally filed amendment and mendment filed in response to the prior notice, is still considered to be non-compliant under 37 CFR 1.121. In order for the amendment document to be compliant, correction of the item(s) listed below is required. Only the corrected section of the non-compliant amendment document must be resubmitted (in its entirety), e.g., the entire "Amendments to the claims" section of applicant's amendment document must be re-submitted. 37 CFR 1.121(h).

The period for reply continues to run from the mailing date of the prior Notice of Non-Compliant Amendment. The corrections listed below must be timely filed to avoid abandonment of the application. No new time period for reply is provided in this communication. See the Manual of Patent Examining Procedure (MPEP) § 71-40.3.

If the period for reply set forth in the prior Notice of Non-Compliant Amendment has expired, this application will become abandoned unless applicant: (1) corrects the deficiency, and (2) obtains an extension of time under 37 CFR 1.136(a). In no case may an applicant reply outside the SIX (6) MONTHS tatutory period or obtain an extension for more than FIVE (5) MONTHS beyond the date for reply set forth in the prior Notice of Non-Compliant Amendment (37 CFR 1.121).

The amendment filed on 1/7/2009 is considered non-compliant because applicant elected the embodiment of figure 3 for examination and all the independent claims were amended to read the on non-elected embodiment of figure 1.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ori Nadav whose telephone number is 571-272-1660. The examiner can normally be reached between the hours of 7 AM to 4 PM (Eastern Standard Time) Monday through Fridaw.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynne Gurley can be reached on 571-272-4670. The fax phone number for the organization where this application or proceeding is assigned is 571-278-3800.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.aspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-1917 (full-free)

/Ori Nadav/ Primary Examiner, Art Unit 2811

PTO-90C (Rev.04-03)